



LIST OF KERATOPLASTY SET – OPHTHALMOLOGY

- s.1 **KERATOPLASTY SET - OPHTHALMOLOGY**
- 1 BARRAQUER WIRE SPECULUM , LARGE
 - 2 SERREFINE SMALL, STRAIGHT
 - 3 FLIERINGA SCLERAL FIXATION RING (SET OF 8 SIZES)
 - 4 CASTROVIEJO CORNEOSCLERAL SCISSORS, SMALL BLADE, LEFT
 - 5 PATON SPATULA AND SPOON
 - 6 CASTROVIEJO CORNEOSCLERAL SCISSORS, SMALL BLADE, RIGHT
 - 7 CASTROVIEJO CORNEAL TREPHINE, SIZE 7.5MM DIA
 - 8 CASTROVIEJO CORNEOSCLERAL SCISSORS, SMALL BLADE
 - 9 DASTOOR CORNEAL GRAFT HOLDING FORCEPS
 - 10 WESTCOTT STITCH SCISSORS
 - 11 CASTROVIEJO CALIPER , STRAIGHT
 - 12 VANNAS CAPSULOTOMY SCISSORS, ANG.FORWARD, 11MM BLADE
 - 13 OSHER-NEUMANN RADIAL MARKER, 8 BLADES
 - 14 COLIBRI FORCEPS, 1X2 TEETH, 0.12MM
 - 15 IRIS SCISSORS, STRAIGHT, 3 ½ " LENGTH
 - 16 MC PHERSON CORNEAL FORCEPS, 1X2 TEETH
 - 17 BARRAQUER N.HOLDER, SHORT MODEL, M.JAWS, CUR.W/O LOCK
 - 18 CASTROVIEJO CYCLODIALYSIS SPATULA
 - 19 PAUFIQUE GRAFT KNIFE
 - 20 BISHOP-HARMON TISSUE FORCEPS, DELICATE, 0.8MM
 - 21 RYCROFT AIR INJECTION CANNULA ,27G
 - 22 BRACKEN ANTERIOR CHAMBER CANNULA, CURVED 19G
 - 23 DASTOOR KERATOPLASTY SPATULA ,
 - 24 KELMAN-MC PHERSON FORCEPS, LONG HANDLE, 7.5MM ANG.
 - 25 KNOLLE ANTERIOR CHAMBER IRRIGATING, 23G
 - 26 BARD PARKER HANDLE # 3
 - 27 HARTMAN MOSQUITO FORCEPS, STRAIGHT
 - 28 TUDOR THOMAS CORNEAL GRAFT STAND
 - 29 HARTMAN MOSQUITO FORCEPS, CURVED
 - 30 BABY JONES TOWEL CLAMP
 - 31 LIEBERMAN TEFLON BLOCK

Essential Criteria:

1. Demonstration mandatory at hospital premises at OEM cost.
- 
- 

2. CMC offered for the quoted equipment should not be more than 5% of the quoted model with not more than 5% escalation per year after completion of CMC period.
3. CMC offered for the quoted equipment must be on OEM letterhead for further years. (CMC offered on distributors/ Vendor letterhead will not be considered).
4. **Instruments should have brand name/ model number embossed/ etched on the equipment.**
5. The page of technical bid should be numbered and checklist should be duly filled as per the annexures and all annexures should be in accordance with the format, otherwise it may be the reason for disqualification.
6. All the technical specifications accepted in the compliance statement must be supported by **Original Literature from the firm/ O.E.M with Highlighting, Numbering & flagging as per below mentioned format for the compliance statement.**

S. No.	Technical Specification	Compliance Yes / No	Page No. in the proposal submitted where documentary evidence is enclosed as per tender Specs with highlighting, Numbering & flagging
1			
2			




BIDDER CRITERIA FOR GLAUCOMA-TRABECULECTOMY SET - OPHTHALMOLOGY

1	All Surgical Instruments should be European CE certified.
2	All Surgical Instruments should meet criteria - ISO 9001 : 2008, ISO 13485 : 2003, ISO 7153-1 : 2016, ISO 14001 :2004 & ISO 18001 :2007 certified company
3	Company should have WHO GMP certificate must be enclosed with the tender.
4	All Surgical instruments should be made of 4 series AISI 420 and AISI 410 steel and certified copy must have to submit at the time of tender submission.
5	All Surgical instruments/Micro Surgical Instruments must have stoneware coating, high surface hardness and anti-glaring surface for better vision.
6	In case of Indian Manufacturer must have to submit their manufacturing & NSIC certificate
7	The surgical instrument's Manufacturer should provide demonstration as and when required.
8	Bidder should submit original literature/Brochure of quoted model of Surgical Instruments
9	The surgical instrument's Manufacturer should clearly mentioned: (A) warranty period (B) shelf life of Instruments © IFU (Instructions for users) of surgical instruments regarding recommended method of cleaning and sterilization of the instruments.
10	The surgical instrument's Manufacturer should provide the details of service centre in state of U.P.
11	All SS hollowware instruments should be of same parent company or same manufacturer and must be clearly mentioned in Original catalogue.
12	All Instruments should have engraved logo of Govt Supply at the time of supplies.
13	The surgical instrument's Manufacturer should provide the offer as per required surgical instrument list.
14	List Enclosed

LIST OF GLAUCOMA-TRABECULECTOMY SET – OPHTHALMOLOGY

- S.I GLAUCOMA-TRABECULECTOMY SET - OPHTHALMOLOGY
- 1 BARRAQUER WIRE SPECULUM, LARGE
 - 2 EYE SCISSORS, CURVED 4 ½" LENGTH
 - 3 TOOKE CORNEAL KNIFE
 - 4 STEVENS TENOTOMY SCISSORS, CURVED
 - 5 CASTROVIEJO SYNECHIAS SPATULA, DOUBLE L. JED
 - 6 BARD PARKER HANDLE # 3
 - 7 KELLY DESCEMENT'S MEMBRANE PUNCH, 1.0MM. DIA TIP
 - 8 CASTROVIEJO CALIPER, STRIGHT
 - 9 COLIBRI FORCEPS, 1X2 TEETH, 0.12MM
 - 10 HARMS TRABECULOTOMY PROBE , RIGHT
 - 11 EYE DRESSING FORCEPS, STREIGHT
 - 12 HARMS TRABECULOTOMY PROBE , LEFT
 - 13 JAFFE TYING FORCEPS, CURVED
 - 14 RYCROFT AIR INJECTION CANNULA, 27G
 - 15 HARTMAN MOSQUITO FORCEPS, STRAIGHT
 - 16 ANTERIOR CHAMBER WASHOUT CANNULA, 16G
 - 17 ST. MARTIN FORCEPS
 - 18 HARTMAN MOSQUITO FORCEPS, CURVED
 - 19 BABY JONES TOWEL CLAMP
 - 20 MC PHERSON CORNEAL FORCEPS, 1X2 TEETH
 - 21 CASTROVIEJO CORNEAL SCISSORS, SMALL BLADES
 - 22 MC PHERSON TYING FORCEPS, ANGLED 11MM
 - 23 WESTCOTT STITCH SCISSORS
 - 24 VANNAS SCISSORS, CURVED
 - 25 VANNAS CAPSULOTOMY SCISSORS ANG
 - 26 FORWARD 11MM BLADE

Essential Criteria:

1. Demonstration mandatory at hospital premises at OEM cost.
2. CMC offered for the quoted equipment should not be more than 5% of the quoted model with not more than 5% escalation per year after completion of CMC period.
3. CMC offered for the quoted equipment must be on OEM letterhead for further years.
(CMC offered on distributors/ Vendor letterhead will not be considered).

4. Instruments should have brand name/ model number embossed/ etched on the equipment.
5. The page of technical bid should be numbered and checklist should be duly filled as per the annexures and all annexures should be in accordance with the format, otherwise it may be the reason for disqualification.
6. All the technical specifications accepted in the compliance statement must be supported by **Original Literature from the firm/ O.E.M with Highlighting, Numbering & flagging as per below mentioned format for the compliance statement.**

S. No.	Technical Specification	Compliance Yes / No	Page No. in the proposal submitted where documentary evidence is enclosed as per tender Specs with highlighting, Numbering & flagging
1			
2			



Department of ENT & OFMS

[Handwritten signature]

[Handwritten signature]

BIDDER CRITERIA FOR SMALLER SURGICAL INSTRUMENTS - ENT & OFMS

1	All Surgical Instruments should be European CE certified.
2	All Surgical Instruments should meet criteria - ISO 9001 : 2008, ISO 13485 : 2003, ISO 7153-1 : 2016, ISO 14001 :2004 & ISO 18001 :2007 certified company
3	Company should have WHO GMP certificate must be enclosed with the tender.
4	All Surgical instruments should be made of 4 series AISI 420 and AISI 410 steel and certified copy must have to submit at the time of tender submission.
5	All Surgical instruments/Micro Surgical Instruments must have stoneware coating, high surface hardness and anti-glaring surface for better vision.
6	In case of Indian Manufacturer must have to submit their manufacturing & NSIC certificate
7	The surgical instrument's Manufacturer should provide demonstration as and when required.
8	Bidder should submit original literature/Brochure of quoted model of Surgical Instruments
9	The surgical instrument's Manufacturer should clearly mentioned: (A) warranty period (B) shelf life of Instruments © IFU (Instructions for users) of surgical instruments regarding recommended method of cleaning and sterilization of the instruments.
10	The surgical instrument's Manufacturer should provide the details of service centre in state of U.P.
11	All SS hollowware instruments should be of same parent company or same manufacturer and must be clearly mentioned in Original catalogue.
12	All Instruments should have engraved logo of Govt Supply at the time of supplies.
13	The surgical instrument's Manufacturer should provide the offer as per required surgical instrument list.
14	List Enclosed



Handwritten signature

Handwritten signature

LIST OF SMALLER SURGICAL INSTRUMENTS - ENT & OFMS

- S.L. SMALLER SURGICAL INSTRUMENTS - ENT & OFMS**
- 1 One Screw diameter should work for all the plates
 - 2 Screws made of titanium alloy (Ti-6Al-7Nb)
 - 3 Silver colored Self drilling, Bronze colored Self tapping and Blue colored emergency design
 - 4 Screws lengths from 3mm to 12mm
 - 5 Screw thread pitch should be 0.60mm
 - 6 One Screw driver blade should work for all the screws
 - 7 Self holding, hexagonal coupling screw driver shaft. length
 - 8 52mm, 76mm, 96mm with Matrix Recess
 - 9 Screwdriver shaft with holding sleeve, Hexagonal coupling, lengths
 - 10 79mm and 95 mm with Matrix Recess
 - 11 Small, Medium and Large Screw driver handles.
 - 12 All instruments should have chambers in the module for exact
 - 13 placements with catalogue numbers etched on the vario case
 - 14 Color coding according to the plate strength
 - 15 Plates made of commercially pure titanium, malleable
 - 16 Plate thickness of 0.4mm (Silver), 0.5mm (Blue), 0.7mm (Pink),
 - 17 0.8mm (Golden) with screw plate profile of 0.65 & the color should
 - 18 designate the thickness of the plate
 - 19 Special orbital plates should be available in various shapes in
 - 20 addition, pre countered / pre formed orbital plates with 0.4mm
 - 21 thickness should be available with the system
 - 22 Other plates should be in various shapes like 'X' 'Y' 'T' 'H' 'L' Square
 - 23 etc. with specific chambers in the module for exact placing
 - 24 All screws provided should fit in all plates, regardless of plate thickness
 - 25 Plates should have rounded edges to minimize soft tissue irritation Plates
 - 26 **Standard Instruments should include**
 - 27 Drill Bit with Stop in 4, 6 & 8mm lengths
 - 28 Plate holders
 - 29 Bending pliers- enabling 3D bending (in plane & out plane)
 - 30 Cutting Scissors for Mesh plates
 - 31 Bending pliers
 - 32 Plate cutter
 - 33 Malleable Orbital Retractors - Left & Right with measurement markings etched on the same
 - 34 Reversible plate holder
 - 35 In addition, all instrumentation should have the Product name & number

Essential Criteria:

1. Demonstration mandatory at hospital premises at OEM cost.
- 
- 

2. CMC offered for the quoted equipment should not be more than 5% of the quoted model with not more than 5% escalation per year after completion of CMC period.
3. CMC offered for the quoted equipment must be on OEM letterhead for further years. (CMC offered on distributors/ Vendor letterhead will not be considered).
4. **Instruments should have brand name/ model number embossed/ etched on the equipment.**
5. The page of technical bid should be numbered and checklist should be duly filled as per the annexures and all annexures should be in accordance with the format, otherwise it may be the reason for disqualification.
6. All the technical specifications accepted in the compliance statement must be supported by **Original Literature from the firm/ O.E.M with Highlighting, Numbering & flagging as per below mentioned format for the compliance statement.**



S. No.	Technical Specification	Compliance Yes / No	Page No. in the proposal submitted where documentary evidence is enclosed as per tender Specs with highlighting, Numbering & flagging
1			
2			

Bidder Criteria for Miscellaneous Assorted Instrument – Micro Septoplasty Set for ENT –

1	All Surgical Instruments should be European CE certified.
2	All Surgical Instruments should meet criteria - ISO 9001 : 2008, ISO 13485 : 2003, ISO 7153-1 : 2016, ISO 14001 :2004 & ISO 18001 :2007 certified company
3	Company should have WHO GMP certificate must be enclosed with the tender.
4	All Surgical instruments should be made of 4 series AISI 420 and AISI 410 steel and certified copy must have to submit at the time of tender submission.
5	All Surgical instruments/Micro Surgical Instruments must have stoneware coating, high surface hardness and anti-glaring surface for better vision.
6	In case of Indian Manufacturer must have to submit their manufacturing & NSIC certificate
7	The surgical instrument's Manufacturer should provide demonstration as and when required.
8	Bidder should submit original literature/Brochure of quoted model of Surgical Instruments
9	The surgical instrument's Manufacturer should clearly mentioned: (A) warranty period (B) shelf life of Instruments © IFU (Instructions for users) of surgical instruments regarding recommended method of cleaning and sterilization of the instruments.
10	The surgical instrument's Manufacturer should provide the details of service centre in state of U.P.
11	All SS hollowware instruments should be of same parent company or same manufacturer and must be clearly mentioned in Original catalogue.
12	All Instruments should have engraved logo of U.P. Govt. at the time of supplies.
13	The surgical instrument's Manufacturer should provide the offer as per required surgical instrument list.
14	Micro Septoplasty SET

Essential Criteria:

1. Demonstration mandatory at hospital premises at OEM cost.
2. CMC offered for the quoted equipment should not be more than 5% of the quoted model with not more than 5% escalation per year after completion of CMC period.
3. CMC offered for the quoted equipment must be on OEM letterhead for further years. (CMC offered on distributors/ Vendor letterhead will not be considered).
4. Instruments should have brand name/ model number embossed/ etched on the equipment.



5. The page of technical bid should be numbered and checklist should be duly filled as per the annexures and all annexures should be in accordance with the format, otherwise it may be the reason for disqualification.
6. All the technical specifications accepted in the compliance statement must be supported by **Original Literature from the firm/ O.E.M with Highlighting, Numbering & flagging as per below mentioned format for the compliance statement.**

S. No.	Technical Specification	Compliance Yes / No	Page No. in the proposal submitted where documentary evidence is enclosed as per tender Specs with highlighting, Numbering & flagging
1			
2			



Bidder Criteria for Miscellaneous Assorted Instruments for ENT – FESS Set

1	All Surgical Instruments should be European CE certified.
2	All Surgical Instruments should meet criteria - ISO 9001 : 2008, ISO 13485 : 2003, ISO 7153-1 : 2016, ISO 14001 :2004 & ISO 18001 :2007 certified company
3	Company should have WHO GMP certificate must be enclosed with the tender.
4	All Surgical instruments should be made of 4 series AISI 420 and AISI 410 steel and certified copy must have to submit at the time of tender submission.
5	All Surgical instruments/Micro Surgical Instruments must have stoneware coating, high surface hardness and anti-glaring surface for better vision.
6	In case of Indian Manufacturer must have to submit their manufacturing & NSIC certificate
7	The surgical instrument's Manufacturer should provide demonstration as and when required.
8	Bidder should submit original literature/Brochure of quoted model of Surgical Instruments
9	The surgical instrument's Manufacturer should clearly mentioned: (A) warranty period (B) shelf life of Instruments © IFU (Instructions for users) of surgical instruments regarding recommended method of cleaning and sterilization of the instruments.
10	The surgical instrument's Manufacturer should provide the details of service centre in state of U.P.
11	All SS hollowware instruments should be of same parent company or same manufacturer and must be clearly mentioned in Original catalogue.
12	All Instruments should have engraved logo of U.P. Govt. at the time of supplies.
13	The surgical instrument's Manufacturer should provide the offer as per required surgical instrument list.
14	FESS Set

Essential Criteria:

1. Demonstration mandatory at hospital premises at OEM cost.
2. CMC offered for the quoted equipment should not be more than 5% of the quoted model with not more than 5% escalation per year after completion of CMC period.
3. CMC offered for the quoted equipment must be on OEM letterhead for further years. (CMC offered on distributors/ Vendor letterhead will not be considered).
4. Instruments should have brand name/ model number embossed/ etched on the equipment.